




**Cable Blowing Technologies**

## Y-Connector

[www.upcom.com.tr](http://www.upcom.com.tr)

[info@upcom.com.tr](mailto:info@upcom.com.tr)



## **GENERAL DISCRPTION,**


Cable connector is using to increase the cables in duct. For example If there are 1 cables in duct you can increase it to 2 or you can increase 2 cables to 3 cables.

If you do not use this tool you can not increase cables because you can not prevent air leaks without this tool.

You can use this tool for different ducts and cables by using parts which we give with tool.

We need to learn your ducts and cables diameters to product this device.

## **MONTAGE DUCTS , NUTRINGS ,NUTRING SEALS and O-RINGS IN THE PICTURES BELOW TO PREVENT AIR LEAK .**




MONTAGING DUCTS TO THE TOOL



MONTAGING NUTRINGS TO THE TOOL



MONTAGING O-RINGS TO THE TOOL(bottom side)



MONTAGING O-RINGS TO THE TOOL(upper side)

**USE THE PARTS BELOW TO PREPARE CABLE  
CONNECTOR FOR DIFFERENT CABLES AND DUCTS.**



**NUTRINGS AND NUTRING SEALS FOR  
DIFFERENT CABLES**



**DUCT CLUMPING PARTS IN DIFFERENT  
DIAMETERS**