Medi Line / UPC-MEDI-26U6060

26U floor-standing network cabinet



26U cabinet shown with optional castors.

19-inch indoor enclosure

Four depth-adjustable mounting rails carry switches, patch panels and other 19-inch equipment. Numbered U positions simplify installation.

Lockable, removable side panels give access for cabling and service.

Model specifications

Order code	**UPC-MEDI-26U6060**
Rack capacity	**26U**
Width × depth × height	**600 × 600 × 1321 mm**
Inside height	**1158 mm**
Load capacity	**600 kg**
Enclosure protection	**IP20**
Cabinet weight	**46 kg**

Medi Line / UPC-MEDI-26U6060

Doors, finishes and ventilation



Smoked glass

Standard front



Perforated steel

Optional front or rear



Solid steel

Standard rear

Powder-coated finishes

RAL 9005 / Jet black

RAL 7035 / Light grey


Configuration details

Front glazing	**4 mm smoked tempered glass**
Roof ventilation	**Optional two- or four-fan unit**
Cable routing	**Brush-protected cable entry**
Mobility	**Optional castor set**
Construction	**Powder-coated sheet steel**

Medi Line / UPC-MEDI-26U6060

Dimension drawing

Cabinet views and cable openings. Dimensions in millimetres.



External height (H)	**1321 mm**
Inside height (h)	**1158 mm**
Footprint (W × D)	**600 × 600 mm**

Medi Line / UPC-MEDI-26U6060

Cabinet assembly

Exploded assembly with door hardware, mounting rails and cable entry.

